

REMARKS

The Office Action dated May 27, 2009 has been received and carefully noted. The following amendments and remarks are submitted as a full and complete response thereto.

In accordance with the foregoing, claims 1, 9, 17, and 18 have been amended to more particularly point out and distinctly claim the subject matter of the invention. Support for the amended features may be found, at least, on page 1, lines 32 and 33, of the Specification. No new matter is being presented, and approval and entry are respectfully requested.

Claims 1-18 are pending and under consideration.

REJECTION UNDER 35 U.S.C. § 102:

In the Office Action, claims 1, 4, 7-9, and 15-18 were rejected under 35 U.S.C. § 102 as being anticipated by Parsa et al. (U.S. Patent No. 6,643,318) ("Parsa"). The Office Action took the position that Parsa describes all the recitations of independent claims 1, 9, 17, and 18 and related dependent claims. This rejection is traversed and reconsideration is requested.

Claim 1, upon which claims 2-8 are dependent, recites a method of initiating a telecommunications uplink from a mobile terminal to a telecommunications network, the mobile terminal having a transmission chain including a baseband stage, a power

amplification stage and an antenna. The method includes transmitting a preamble signal from the mobile terminal at a first time, the preamble signal being transmitted in accordance with a transmission parameter of the mobile terminal. The method further includes determining whether a base station has successfully received the preamble signal and if so, establishing an uplink to the base station on the basis of the first transmission parameter. In the event it is not determined that a base station has successfully received the preamble signal, the method includes changing the transmission parameter, and repeating the transmitting of the preamble signal and the determining whether a base station has successfully received the preamble signal at a time later than the first time. The transmission parameter controls one or more of the baseband stage, power amplification stages and the antenna such that changing the transmission parameter results in an alteration of a signal diversity of one or more preambles as received by the base station at the later time. The signal diversity comprises multipath and/or time diversity.

Claim 9, upon which claims 10-16 are dependent, recites an apparatus including a transmission chain including a baseband stage, a power amplification stage and an antenna and a transmitter configured to transmit a preamble signal in accordance with a transmission parameter of the apparatus at a first time. The apparatus also includes a determiner configured to determine whether a base station has successfully received the preamble signal and if so, to establish an uplink to the base station on the basis of the first transmission parameter. In the event it is not determined that a base station has

successfully received the preamble signal, a changing unit is configured to change the transmission parameter, and repeat the transmission of the preamble signal and the determination of whether the base station has successfully received the preamble signal at a time later than the first time. The transmission parameter is configured to control one or more of the baseband stage, power amplification stages and the antenna such that changing of the transmission parameter results in an alteration of a signal diversity of one or more subsequent preambles as received by the base station at the later time. The signal diversity comprises multipath and/or time diversity.

Independent claim 17 recites a computer-readable medium encoded with a computer program, the computer program configured to control a processor to perform operations including transmitting a preamble signal from a mobile terminal at a first time, the preamble signal being transmitted in accordance with a transmission parameter of the mobile terminal, and determining whether a base station has successfully received the preamble signal and if so, establishing an uplink to the base station on the basis of the first transmission parameter. In the event it is not determined that a base station has successfully received the preamble signal, the computer program is configured to control a processor to perform operations including changing the transmission parameter, and repeating the transmitting of the preamble signal and the determining whether a base station has successfully received the preamble signal at a time later than the first time. The transmission parameter controls one or more of a baseband stage, power amplification stages, and an antenna of the mobile terminal such that changing the

transmission parameter results in an alteration of a signal diversity of one or more preambles as received by the base station at the later time. The signal diversity comprises multipath and/or time diversity.

Independent claim 18 recites an apparatus including a transmission chain including a baseband stage, a power amplification stage and an antenna, and transmitting means for transmitting a preamble signal in accordance with a transmission parameter of the apparatus at a first time. The apparatus also includes determining means for determining whether a base station has successfully received the preamble signal and if so, to establish an uplink to the base station on the basis of the first transmission parameter. In the event it is not determined that a base station has successfully received the preamble signal, changing means for changing the transmission parameter, and repeating the transmission of the preamble signal and the determination of whether the base station has successfully received the preamble signal at a time later than the first time. The transmission parameter controls one or more of the baseband stage, power amplification stages and the antenna such that changing of the transmission parameter results in an alteration of a signal diversity of one or more subsequent preambles as received by the base station at the later time. The signal diversity comprises multipath and/or time diversity.

Embodiments of the invention, therefore, provide an improved method of initiating a telecommunications uplink when a radio link between a user equipment and the base station is suffering from fading (Specification, page 2, lines 21-22). The

Specification of the present application gives examples of parameters which may be altered to provide signal diversity of the preamble signals and include changing parameters, such as, to change as (i) phase shift, (ii) directionality of a beam, and/or (iii) frequency band as examples. In addition (iv), the combination of changing power amplification in conjunction with which antenna is used (where there is multiple antennae) results in signal diversity. As can be seen from FIGS. 2 and 3 and corresponding description provided in the Specification of the present application, where there is more than one antenna, varying the time diversity in a plurality of preamble signals is provided by varying the power in conjunction which antennae is used next. In other words, various permutations of antenna and power level enable a high degree of time diversity. An advantage of the invention is a shorter random access channel (RACH) procedure. This will speed up the call setup process and cause smaller delays for user data transmission on RACH and common packet channel (CPCH). This means that the transmission time that is needed to transmit small data packets via uplink RACH and CPCH is reduced.

As will be discussed below, Parsa fails to disclose or suggest all of the elements of the claims, and therefore fails to provide the advantages and features discussed above.

Parsa describes a hybrid DSMA-CR/CDMA method and apparatus accommodating bursty packet data traffic in an optimum manner. The hybrid DSMA-CR/CDMA method provides a proactive approach to avoid collision by having the base station broadcast the availability and available data rates for each of its channels or for

each group of its channels. The mobile station can use the broadcast information to select an idle channel with sufficient data rate before its transmission, instead of waiting for the base station to resolve the collision. The method also allows priority schemes (Parsa, column 2, lines 16-28).

At a base station, the method of Parsa involves broadcasting, on a periodic or non-periodic basis, availability related status information of one or more of the channels allocated to the base station. Based on the broadcast status information, the mobile station selects an idle channel (Parsa, column 2, lines 53-64). Following channel selection, the mobile station starts transmission of a series of access preambles. Each preamble contains a signature selected from a set of predefined signatures used for communications with the base station. Typically, the preamble signature corresponds to the spreading code and/or the scrambling code used by the network to define the selected logical channel at the physical layer of the CDMA network. The mobile station transmits the preambles, at well-selected time intervals and at increasing power levels. The mobile station stops its transmission of the access preambles when the access preamble has been picked up and detected by the base station, the base station has responded with an acknowledgment AP-AICH, and the mobile station has also successfully received the AP-AICH. Alternatively, the mobile station ceases its access preamble transmissions if the mobile station has transmitted the maximum allowed number of access preambles M_{AP} (Parsa, column 2, line 65, to column 3, line 14).

Applicants respectfully submit that Parsa fails to disclose or suggest all of the elements of the present claims. For example, Parsa fails to disclose or suggest, at least, “wherein the transmission parameter controls one or more of the baseband stage, power amplification stages and the antenna such that changing the transmission parameter results in an alteration of the signal diversity of one or more preambles as received by the base station at the later time, and wherein the signal diversity comprises multipath and/or time diversity,” as recited in independent claim 1 and similarly recited in independent claims 9 and 17-18. Parsa does not teach or suggest that the preamble signature results in an alteration of the signal diversity of one or more preambles as received by the base station at the later time as in the present claims. Instead, Parsa provides that the preamble signature corresponds to the spreading code and/or the scrambling code used by the network to define the selected logical channel at the physical layer of the CDMA network. Parsa is silent as to teaching an alteration of signal diversity of one or more of the preambles described therein. As further clarified by the amendments in independent claims 1, 9, and 17-18, the signal diversity comprises multipath and/or time diversity. Parsa does not anticipate such claimed recitations.

Furthermore, the Office Action cited column 15, lines 13-32 of Parsa as allegedly disclosing the alteration of the signal diversity recited in the independent claims. However, Applicants submit that Parsa does not disclose that “changing the transmission parameter results in an alteration of the signal diversity of one or more preambles as received by the base station at the later time, and wherein the signal diversity comprises

multipath and/or time diversity,” as recited in independent claims 1, 9, and 17-18. In the referred portion of Parsa, this portion simply provides that if the mobile station does not detect any acquisition indicator (A1) as an acknowledgement corresponding to the selected signature in the downlink access slot corresponding to the selected uplink access slot, the mobile station selects the next uplink access slot from among the access slots in the CPCH-AP sub-channel group, increases the preamble transmission power, retransmits access preamble using new parameters, decreases the preamble retransmission counter, and the mobile station aborts the access attempt when the preamble retransmission counter is less than 0. Such description is devoid of any teaching or suggestion providing an alteration of the signal diversity of one or more preambles as received by the base station at a later time. Also, such description of Parsa does not provide that the signal diversity comprises multipath and/or time diversity as in the present independent claims.

Although Parsa appears to provide a change in the power of a succession of preamble signals, such description does not give signal diversity, i.e., time or multipath diversity. In other words, there is only the disclosure of changing the power level alone, which on its own does not introduce signal diversity in terms of time/multipath diversity, without multiple antenna.

Applicants respectfully submit that the cited passages of Parsa bear no relation to the present invention. The feature of changing the transmission parameter results in an alteration of the signal diversity of one or more preambles is not disclosed in Parsa.

Therefore, it follows that Parsa also fails to disclose the feature of the signal diversity comprising multipath and/or time diversity.

Thus, Parsa fails to disclose or suggest all of the elements of independent claims 1, 9, and 17-18. Claims 4, 7-8, and 15-16 are dependent upon independent claims 1 and 9, respectively. Accordingly, claims 4, 7-8, and 15-16 should be allowed for at least their dependence upon independent claims 1 and 9, and for the specific limitations recited therein.

REJECTION UNDER 35 U.S.C. § 103:

Claims 2-3, 5-6, 10-11, and 13-14 were rejected under 35 U.S.C. §103(a) as being unpatentable over Parsa in view of U.S. Patent No. 7,013,146 to Wang et al. ("Wang"). The Office Action took the position that Parsa discloses all of the elements of the claims, with the exception of the transmission chain including at least two antennae, and the transmission parameter determining which of the antennae the preamble is transmitted from. The Office Action then relies upon Wang as allegedly curing this deficiency in Parsa. This rejection is respectfully traversed for at least the following reasons.

Applicants note that claims 2-3 and 5-6 are dependent upon independent claim 1 and claims 2-3 and 5-6 are dependent upon independent claim 9. As discussed above, Parsa fails to disclose or suggest all of the elements of independent claims 1 and 9. The description of Parsa and the arguments presented above supporting the patentability of independent claims 1 and 9 in view of Parsa are incorporated herein.

Wang generally describes a method of transmitting user data from a mobile device to a wireless communication system using adaptive transmission parameters in order to enhance the total data rate of the uplink transmission. The mobile device transmits a RACH message preamble including transmission conditions related data to enable the use of adaptive transmission parameters for the RACH message part (Wang, column 3, lines 8-25). The RACH message preamble is decoded by the base station and allows the base station to estimate the transmission conditions based on the message preamble. In combination with a current network load and estimated transmission conditions, a base station is able to determine suitable adaptive transmission parameters allowed for a mobile device. This adaptive transmission parameter setting is transmitted as an indication message to the mobile device via the AICH. The indication message is received by the mobile device and decoded. The mobile device is now able to transmit the RACH message part using the transmitted adaptive transmission parameter setting to increase the total transmission rate.

However, there is no teaching or suggestion given in Wang as to why the features such as phase shifting, directionality of a beam, and frequency band could or even would be altered in **preamble** signals. (Emphasis added) Such features in Wang are applied to completely different types of signals and the preamble signal is a specific in terms of time interval and a very short set of one or more signals. Furthermore, there is no indication as to why the skilled person would wish to change preamble signals on this basis.

Wang does not cure the deficiencies in Parsa, as Wang also fails to disclose or suggest, at least, “the transmission parameter controls one or more of the baseband stage, power amplification stages and the antenna such that changing the transmission parameter results in an alteration of the signal diversity of one or more preambles as received by the base station at the later time,” as recited in independent claim 1 and similarly recited in independent claim 9. Wang focuses on determining suitable adaptive transmission parameters allowed for a mobile device to enable the mobile device to transmit the RACH message part using the transmitted adaptive transmission parameter setting to increase the total transmission rate. However, there is no teaching or suggestion of the signal diversity comprising multipath and/or time diversity as recited in independent claims 1 and 9.

Accordingly, the combination of Parsa and Wang fails to disclose or suggest all of the elements of claims 2-3, 5-6, 10-11, and 13-14. In addition, claims 2-3, 5-6, 10-11, and 13-14 should be allowed for at least their dependence upon independent claims 1 and 9, and for the specific limitations recited therein.

CONCLUSION:


In view of the above, Applicants respectfully submit that the claimed invention recites subject matter which is neither disclosed nor suggested in the cited prior art. Applicants further submit that the subject matter is more than sufficient to render the claimed invention unobvious to a person of skill in the art. Applicants therefore

respectfully request that each of claims 1-18 be found allowable and this application passed to issue.

If for any reason the Examiner determines that the application is not now in condition for allowance, it is respectfully requested that the Examiner contact, by telephone, the Applicants' undersigned attorney at the indicated telephone number to arrange for an interview to expedite the disposition of this application.

In the event this paper is not being timely filed, the applicants respectfully petition for an appropriate extension of time. Any fees for such an extension together with any additional fees may be charged to Counsel's Deposit Account 50-2222.

Respectfully submitted,



Alicia M. Choi
Attorney for Applicants
Registration No. 46,621

Customer No. 32294
SQUIRE, SANDERS & DEMPSEY L.L.P.
14th Floor
8000 Towers Crescent Drive
Vienna, Virginia 22182-6212
Telephone: 703-720-7800
Fax: 703-720-7802

AMC:dk